

Arizona Life Expectancy at Birth, by County, 2017															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Life Expectancy	74.3	78.8	79.4	76.3	77.5	78.3	80.7	80.1	75.7	75.7	79.5	80.2	82	79	80.7

Source: Robert Wood Johnson Foundation

Life expectancy by ZIP Code in Maricopa County, Arizona, 2017												
ZIP Code	85003	85004	85006	85007	85008	85009	85012	85013	85014	85015	85016	85017
Life Expectancy	75	71	75	76	76	76	76	77	76	75	78	76
ZIP Code	85018	85019	85020	85021	85022	85023	85024	85027	85028	85029	85032	85034
Life Expectancy	79	77	78	77	79	78	80	78	81	77	78	*
ZIP Code	85050	85051	85053	85054	85250	85251	85253	85254	85257	85258	85260	85281
Life Expectancy	81	76	77	*	81	81	83	81	78	85	82	78

*Insufficient data

Source: [Virginia Commonwealth University, Center on Society and Health, Phoenix Life Expectancy](#)

Arizona's Population Growth, 2010 - 2017								
Year	2010	2011	2012	2013	2014	2015	2016	2017
Total population	6,392,017	6,465,488	6,544,211	6,616,124	6,706,435	6,802,262	6,908,642	7,016,270
% change		1.15	1.22	1.1	1.37	1.43	1.56	1.56

Source: U.S. Census Bureau, National Population by Characteristics

Arizona Population, by Age, 2010 - 2017						
Age groups	<1	1-14	15-19	20-44	45-64	65+
Counts	85,596	1,268,728	467,307	2,298,876	1,694,017	1,201,746
Percentage	1.22	18.08	6.66	32.76	24.14	17.13

Source: U.S. Census Bureau, National Population by Characteristics

Arizona Population, by Race & Ethnicity, 2010 - 2017							
Race/ethnicity	White	Hispanic	Black/African American	American Indian and Alaska Native	Asian	Native Hawaiian and Other Pacific Islander	Multiracial (two or more races)
Counts	3,849,130	2,202,172	301,263	280,638	228,918	12,979	141,170
Percentage	54.86	31.39	4.29	4	3.26	0.18	2.01

Source: U.S. Census Bureau, National Population by Characteristics

Arizona Population, by County of Residence, 2017															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Counts	72,969	129,099	145,237	55,429	38,589	11,226	21,750	4,251,860	211,190	112,260	1,033,497	430,799	51,920	227,327	223,117
Percentage	1.04	1.84	2.07	0.79	0.55	0.16	0.31	60.6	3.01	1.6	14.73	6.14	0.74	3.24	3.18

Source: Office of Economic Opportunity, U.S. Census Bureau

Births, Arizona, 2007 - 2017											
Year	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Births	102,687	99,215	92,616	87,053	85,190	85,725	84,963	86,648	85,024	84,404	81,664

Source: ADHS Bureau of Vital Records

Births, by County of Residence, 2017															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Births	946	1330	1506	541	530	156	194	52,470	1734	1507	10,970	4,384	633	1,796	2,956

Source: ADHS Bureau of Vital Records

Leading Causes of Death, by Count, 2017										
Cause of death	Heart disease	Malignant neoplasms	Unintentional injury	Chronic lower respiratory diseases	Alzheimer's disease	Cerebrovascular diseases	Diabetes	Intentional self-harm (suicide)	Chronic Liver Disease And Cirrhosis	Essential (primary) hypertension and hypertensive renal disease
Number of deaths	12285	11917	4085	3779	3050	2647	2037	1304	1122	1018

Source: ADHS Bureau of Vital Records

Leading Causes of Death, by Years of Potential Life Lost, 2017										
Cause of death	Unintentional injury	Cancer	Heart disease	Suicide	Chronic liver disease & cirrhosis	Diabetes	Homicide	Chronic lower respiratory diseases	Cerebrovascular diseases	Influenza & pneumonia
YPLL 75	89,603.5	82,697.0	56,504.5	35,205.5	18,740.5	16,485.0	16,275.0	14,133.0	10,059.5	4,689.5

Source: ADHS Bureau of Vital Records

Age-adjusted mortality rates for the 5 leading causes of death by race/ethnicity, Arizona 2017									
White non-Hispanic		Hispanic/ Latino		Black/African American		American Indian/Alaska Native		Asian/Pacific Islander	
Heart Disease	146.1	Heart Disease	112.5	Heart Disease	169.6	Heart Disease	150.9	Cancer	99.4
Cancer	141.4	Cancer	110.9	Cancer	158.5	Unintentional Injury	142	Heart Disease	87.2
Unintentional Injury	54.5	Unintentional Injury	45.9	Unintentional Injury	60.3	Cancer	117.1	Unintentional Injury	24.3
COPD	48	Diabetes	39.4	Cerebrovascular Disease	49.2	Diabetes	81.6	Cerebrovascular Disease	23.6
Alzheimer's Disease	36.1	Cerebrovascular Disease	34.5	Diabetes	45.9	Cirrhosis	74	Diabetes	21.3

Source: ADHS Bureau of Vital Records

Arizona Teen Pregnancy Rate, 2007 - 2017											
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Teen pregnancy rate	34.4	31.6	28	24.7	23	21.6	19.2	17.8	15.9	14.9	13.7

Source: ADHS Bureau of Vital Records

Arizona Teen Pregnancy Rate, by Race & Ethnicity, 2017					
	American Indian or Alaska Native	Hispanic/Latina	Black/African American	White non-Hispanic	Asian/Pacific Islander
Teen Pregnancy Rate	24.7	19.3	17.3	9.5	5

Source: ADHS Bureau of Vital Records

Percent of Women Receiving Intermediate or Adequate Prenatal Care, by Race & Ethnicity, 2014 - 2017					
Race/Ethnicity	American Indian or Alaska Native	Asian or Pacific Islander	Black or African American	Hispanic or Latino	White non-Hispanic
Intermediate to Adequate Plus Care	68.10%	79.80%	72.20%	73.40%	81.20%

Source: ADHS Bureau of Vital Records

Percent of Women Receiving Intermediate or Adequate Prenatal Care, by County, 2014 - 2017															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Intermediate Adequate and Adequate Plus	77.9%	68.1%	80.8%	63.8%	72.7%	75.9%	45.2%	77.4%	74.4%	75.8%	76.8%	77.8%	60.5%	85.0%	71.1%

Source: ADHS Bureau of Vital Records

Maternal Mortality Rate, Arizona and U.S., 2010 - 2016			
	2010-2014	2011-2015	2012-2016
AZ	18.3	18.9	20.3
U.S.	21.5	21.9	26.4

Source: ADHS Bureau of Vital Records

Maternal Mortality Review Rates, by Race & Ethnicity, 2012 - 2015				
Race/Ethnicity	American Indian/ Alaska Native	Hispanic or Latino	White, non- Hispanic	Other*
Maternal Mortality Rate	284	90	70	176

Source: Arizona Maternal Mortality Review Program

Percent of Infants at a Low Birthweight, Arizona and U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	6.9%	7.0%	7.2%	7.3%	7.5%
U.S.	8.0%	8.0%	8.1%	8.2%	8.3%

Source: ADHS Bureau of Vital Records

Infant Mortality Rate, Arizona and U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
Arizona	5.3	6.2	5.6	5.4	5.6
U.S.	6	5.8	5.8	5.8	5.9

Source: ADHS Bureau of Vital Records

Infant Mortality Rate, by Race & Ethnicity, 2013 - 2017					
	2013	2014	2015	2016	2017
White non-Hispanic	4.2	5.3	4.7	3.9	4.7
Hispanic/ Latino	5.6	6.4	5.5	6	5.2
Black/African American	12.5	11.7	11	11.4	10.9
American Indian/Alaska Native	6.6	8.7	7.8	8.3	9.5
Asian/Pacific Islander	1.7	2.5	4	3.9	4.8

Source: ADHS Bureau of Vital Records

Infant Mortality Rate due to SUID, Unsafe Sleep, and Suffocation, 2013 - 2017					
	2013	2014	2015	2016	2017
SUID	0.87	0.98	0.92	0.94	1.02
Unsafe Sleep	0.77	0.95	0.87	0.76	1
Suffocation	0.53	0.69	0.61	0.59	0.62

Source: ADHS Bureau of Vital Records

Neonatal Abstinence Syndrome Rates, 2012 - 2017						
	2012	2013	2014	2015	2016	2017
NAS Rate	3.67	4.12	5.25	5.67	7.48	7.93

Source: Arizona Hospital Discharge Data

Reported Breastfeeding Trends, by Infant Birth Year, Arizona and U.S., 2013 -2017				
Birth Year	2012	2013	2014	2015
AZ Ever Breastfed	75.3%	85.0%	83.0%	82.7%
AZ Lower 95% CI	67.9%	79.5%	77.5%	77.0%
AZ Higher 95% CI	82.7%	90.5%	88.5%	88.4%
U.S. Ever Breastfed	80.0%	81.1%	82.5%	83.2%
AZ Exclusively Breastfed at 6 months	17.2%	23.8%	15.6%	26.3%
AZ Lower 95% CI	11.5%	17.9%	10.7%	20.5%
AZ Higher 95% CI	22.9%	29.7%	20.5%	32.1%
U.S. Exclusively Breastfed at 6 months	21.9%	22.3%	24.9%	24.9%
AZ Breastfed at 1 year	25.0%	30.0%	27.4%	35.5%
AZ Lower 95% CI	18.2%	23.7%	21.1%	29.2%
AZ Higher 95% CI	31.8%	36.3%	33.7%	41.8%
U.S. Breastfed at 1 year	29.2%	30.7%	33.7%	35.9%

Source: National Immunization Survey

Co-Occurrence of ACEs among Arizona Children Ages 0 - 17, 2016 - 2017						
ACEs	0	1	2	3	4	5 or more
AZ	52.3%	18.1%	11.8%	6.1%	6.5%	5.2%

Source: National Survey of Children's Health

Prevalence of ACEs among Arizona Children Ages, 0 - 17, 2016 - 2017									
ACE prevalence	Parent or guardian divorced or separated	Hard to cover basics like food or housing	Lived with anyone who had a problem with alcohol or drug	Parent or guardian served time in jail	Saw or heard parents or adults slap, hit kick, punch one another in the home	Lived with anyone who was mentally ill, suicidal, or severely depressed	Victim/witness of neighborhood violence	Treated or judged unfairly because of his/her race or ethnic group	Parent or guardian died
Yes	32%	27%	16%	13%	11%	10%	6%	4%	3%

Source: National Survey of Children's Health

Children Ages 6 - 17 Who Reported Being Bullied, Picked On or Excluded by Other Children, by Sex, Arizona & U.S., 2016 - 2017		
	Male	Female
AZ	21.40%	23.80%
AZ 95% CI	16.5-27.3%	18.3-30.5%
U.S.	21.70%	21.60%

Source: National Survey of Children's Health

Percent of Arizona HS Students Who Reported Bullying Experience, by Grade, 2017			
	8th Grade	10th Grade	12th grade
I saw bullying but didn't intervene	47.0%	37.4%	28.8%
I was harassed online	33.1%	28.7%	23.6%
I bullied someone	26.1%	18.8%	14.5%
I was bullied	42.2%	31.0%	22.7%

Source: YRBSS

Percent of Arizona HS Students Who Reported Being Physically Forced to Have Sexual Intercourse, by Gender, 2017		
	Male	Female
AZ	4.5%	11.5%
AZ 95% CI	2.8-7.2%	8.6-15.4%
U.S.	3.5%	11.3%

Source: YRBSS

Percent of HS Students Who Reported Ever Trying Cigarette Smoking, Arizona & U.S., 2013 - 2017			
	2013	2015	2017
AZ	43.9%	37.0%	29.9%
U.S.	41.1%	32.3%	28.9%

Source: YRBSS

Percent of HS Students Who Reported Current Cigarette Use, Arizona & U.S., 2013 - 2017			
	2013	2015	2017
AZ	14.1%	10.1%	7.1%
U.S.	15.7%	10.8%	8.8%

Source: YRBSS

Percent of HS Students Who Reported Ever Using an Electronic Vapor Product, Arizona & U.S., 2017	
	2017
AZ	51.0%
U.S.	42.2%

Source: YRBSS

Percent of HS Students Who Reported Frequent Electronic Vapor Product Use, Arizona & U.S., 2015 - 2017		
	2015	2017
AZ	3.1%	5.3%
U.S.	3.0%	3.3%

Source: YRBSS

Percent of Adults Who Reported Current Smoking, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	16.3%	16.5%	14.0%	14.7%	15.6%
AZ Lower 95% CI	14.3%	15.4%	12.8%	13.5%	14.7%
AZ Higher 95% CI	18.3%	17.6%	15.3%	15.9%	16.4%
U.S.	19.0%	18.1%	17.5%	17.1%	17.1%

Source: BRFSS

Percent of Arizona Adults Who Reported Current Smoking, by County, 2017															
	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Percent	10.7%	13.3%	14.2%	19.8%	13.3%	13.3%	19.8%	14.3%	19.8%	17.4%	16.0%	19.3%	13.3%	23.5%	19.8%
Lower 95% CI	5.8%	9.0%	7.6%	13.8%	9.0%	9.0%	16.0%	13.2%	16.0%	12.1%	13.9%	15.6%	9.0%	18.7%	16.0%
Higher 95% CI	15.6%	17.5%	20.9%	25.8%	17.5%	17.5%	23.5%	15.3%	23.5%	22.6%	18.1%	23.1%	17.5%	28.2%	23.5%

Source: BRFSS

Percent of Arizona Adults Who Reported Current Smoking, by Income, 2017						
	Less than \$15,000	\$15,000 to \$24,999	\$25,000 to \$34,999	\$35,000 to \$49,999	\$50,000 to \$74,999	\$75,000 +
Percent	28.6%	21.5%	20.7%	16.5%	12.0%	8.6%
Lower 95% CI	25.1%	19.2%	17.4%	14.3%	10.1%	7.4%
Higher 95% CI	32.1%	23.9%	24.0%	18.7%	14.0%	9.9%

Source: BRFSS

Percent of Arizona Adults Who Reported Current Smoking, by Race/Ethnicity, 2017						
	White, Non-Hispanic	Black/ African American, Non-Hispanic	Hispanic	American Indian/Alaska Native, Non-Hispanic	Asian, Non-Hispanic	Other, Non-Hispanic
Percent	16.4%	17.8%	14.5%	12.9%	6.3%	21.6%
Lower 95% CI	15.4%	13.6%	12.7%	9.2%	2.3%	16.4%
Higher 95% CI	17.3%	21.9%	16.3%	16.7%	10.3%	26.7%

Source: BRFSS

Percent of Adults Who Reported Current Electronic Cigarette Use, Arizona & U.S., 2013 - 2017		
	2016	2017
AZ	5.3%	5.3%
AZ Lower 95% CI	4.5%	4.7%
AZ Higher 95% CI	6.1%	5.8%
U.S.	4.7%	4.6%

Source: BRFSS

Percent of Arizona Adults Who Reported Current Electronic Cigarette Use, by County, 2017
--

	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Percent	1.3%	4.7%	8.3%	5.1%	4.7%	4.7%	6.0%	5.0%	6.0%	3.6%	5.8%	5.5%	4.7%	4.9%	6.0%
Lower 95% CI	0.0%	2.0%	4.2%	2.4%	2.0%	2.0%	3.7%	4.2%	3.7%	1.4%	4.4%	2.9%	2.0%	1.9%	3.7%
Higher 95% CI	2.5%	7.3%	12.5%	7.9%	7.3%	7.3%	8.2%	5.7%	8.2%	5.9%	7.2%	8.0%	7.3%	8.0%	8.2%

Source: BRFSS

Percent of HS Students Who Reported Being Physically Active at Least 60 Minutes per Day in the Last Week, Arizona, 2017	
	2017
AZ	24.50%
AZ 95% CI	21.9-27.4%

Source: YRBSS

Percent of HS Students Who Reported Attending Physical Education 5 or More Days in One Week, Arizona & U.S., 2013 - 2017			
	2013	2015	2017
AZ Percent	23.0%	26.3%	36.5%
AZ Lower 95% CI	17.0%	18.9%	29.2%
AZ Higher 95% CI	30.3%	35.2%	44.4%
US Percent	29.4%	29.8%	29.9%

Source: YRBSS

Percent of HS Students Who Reported They Did Not Drink Soda in the Last Week, Arizona & U.S., 2009 - 2017					
	2009	2011	2013	2015	2017
AZ Percent	20.4%	24.2%	27.8%	27.8%	29.0%
AZ Lower 95% CI	18.4%	20.9%	25.4%	24.4%	25.4%
AZ Higher 95% CI	22.4%	27.9%	30.3%	31.6%	33.0%
US Percent	19.4%	20.9%	22.3%	26.2%	27.8%

Source: YRBSS

Percent of Adults Who Reported a Healthy Weight, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ Percent	35.8%	33.8%	32.6%	34.6%	32.9%
AZ Lower 95% CI	33.2%	32.5%	31.0%	33.0%	31.9%
AZ Higher 95% CI	38.5%	35.2%	34.2%	36.3%	33.9%
US Percent	33.4%	33.4%	32.7%	32.9%	32.0%

Source: BRFSS

Perent of Adults Who Reported a Healthy Weight, by Income, 2013 - 2017						
	Less than \$15,000	\$15,000 to \$24,999	\$25,000 to \$34,999	\$35,000 to \$49,999	\$50,000 to \$74,999	\$75,000+
AZ Percent	30.6%	28.6%	34.1%	30.9%	32.5%	34.3%
AZ Lower 95% CI	26.9%	26.0%	30.4%	28.1%	29.7%	32.4%
AZ Higher 95% CI	34.4%	31.3%	37.8%	33.8%	32.7%	36.2%

Source: BRFSS

Perent of Adults Who Reported a Healthy Weight, by Income, 2013 - 2017				
	Less than High School	High School or GED	Some College/ Technical School	College/ Technical School Graduate
AZ Percent	27.0%	30.5%	32.9%	38.8%
AZ Lower 95% CI	23.3%	28.5%	31.1%	37.2%
AZ Higher 95% CI	30.6%	32.5%	34.6%	40.4%

Source: BRFSS

Perent of Adults Who Reported Ever Being Told They have a Form of Depression, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ Percent	18.1%	18.7%	18.5%	16.7%	18.8%
AZ Lower 95% CI	16.1%	17.6%	17.2%	15.5%	18.0%
AZ Higher 95% CI	20.0%	19.8%	19.7%	17.8%	19.6%
US Percent	18.7%	19.0%	19.0%	17.4%	20.5%

Source: BRFSS

Percent of Arizona Adults Who Reported Frequent Mental Distress, by Race/Ethnicity, 2017						
	White, Non-Hispanic	American Indian or Alaska Native	Hispanic	Asian or Pacific Islander, Non-Hispanic	Other, Non-Hispanic	
Percent	12.2%	13.0%	12.6%	12.6%	6.3%	14.1%
Lower 95% CI	11.3%	10.1%	11.0%	8.8%	3.1%	9.8%
Higher 95% CI	13.0%	17.7%	14.2%	16.4%	9.5%	18.3%

Source: BRFSS

Childhood Cancer Incidence Rates, by Diagnosis Year, Arizona & U.S., 2010 - 2014					
	2010	2011	2012	2013	2014
AZ	181.3	191.1	187.5	167.2	178.5
U.S.	180.6	181.8	182.2	180	

Source: U.S. Cancer Statistics, CDC and National Cancer Institute, ADHS Bureau of Vital Records

Invasive Cancer Incidence Rate, Arizona & U.S., 2011 - 2015					
	2011	2012	2013	2014	2015
AZ	406.8	391.3	387.7	388.7	379.8
U.S.	465.4	452.5	448.7	443.7	437.7

Source: U.S. Cancer Statistics, CDC and National Cancer Institute

Arizona Invasive Cancer Incidence Rate, by County, 2011 - 2015															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Rate	281.2	364.7	359.3	336.5	397.5	354.0	306.5	400.5	452.0	343.5	386.0	356.0	307.1	398.2	344.4

Source: U.S. Cancer Statistics, CDC and National Cancer Institute

Cancer Mortality Rate, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	149.6	136.3	144.0	140.7	136.6
U.S.	163.2	161.2	158.5	155.8	152.5

Source: ADHS Bureau of Vital Records

Arizona Cancer Mortality Rate, by County, 2017															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Rate	118.0	146.3	117.3	112.5	130.4	108.0	139.0	137.1	178.3	130.1	133.4	124.6	108.4	158.0	101.8

Source: ADHS Bureau of Vital Records

Arizona Cancer Mortality Rate, by Sex, 2013 - 2017						
	2012	2013	2014	2015	2016	2017
Male	174.1	168	154.9	162.9	160.3	161
Female	122.8	126.3	113.4	120	116.1	116.6

Source: ADHS Bureau of Vital Records

Arizona Cancer Mortality Rate, by Race & Ethnicity, 2013 - 2017					
Cancer mortality	2013	2014	2015	2016	2017
Arizona	149.6	136.3	144.0	140.7	136.6
White non-Hispan	154.3	141.8	149.8	146.7	141.4
Hispanic/Latino	129.8	124.9	120.4	115.9	110.9
Black/African Ame	190.4	145.0	154.7	171.6	158.5
American Indian/A	118.2	97.1	124.4	101.2	117.1
Asian/Pacific Islan	100.1	83.2	104.8	102.6	99.4

Source: ADHS Bureau of Vital Records

Percent of Children with a Special Healthcare Need Who Have a Medical Home, Arizona & U.S., 2016 - 2017		
	Yes	No
AZ	36.6%	63.4%
U.S.	43.2%	56.8%

Source: National Survey of Children's Health

Percent of Adolescents Completing a Preventive Medical Visit in Past Year, by Race/Ethnicity, Arizona & U.S., 2016 - 2017					
	All	White, Non-Hispanic	Black, Non-Hispanic	Other, Non-Hispanic	Hispanic or Latino
AZ	28.8%	23.6%	*	37.30%	32.50%
U.S.	21.3%	17.6%	18.00%	27.60%	28.70%

*No responses

Source: National Survey of Children's Health

Percent of Arizona Adults Who Reported Having a Usual Source of Care, by Race/Ethnicity, 2017						
	White, Non-Hispanic	Black/African American	Hispanic	American Indian/Alaska Native	Asian, Non-Hispanic	Other, Non-Hispanic
Percent	78.8%	74.7%	61.2%	60.1%	67.4%	76.0%
Lower 95% CI	77.8%	69.6%	58.8%	54.8%	60.6%	69.7%
Higher 95% CI	79.9%	79.9%	63.6%	65.3%	74.2%	82.3%

Source: BRFSS

Unintentional Injury Mortality Rate, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	46.3	43.2	48.1	53.7	55.3
U.S.	39.4	40.5	43.2	47.4	49.4

Source: ADHS Bureau of Vital Records

Arizona Unintentional Injury Mortality Rate, by Race & Ethnicity, 2017					
	American Indian/ Alaska Native	Black/African American	White, Non- Hispanic	Hispanic/ Latino	Asisan or Pacific Islander
AZ	142.0	60.3	54.5	45.9	24.3

Source: ADHS Bureau of Vital Records

Years of Potential Life Lost in Arizona Among Unintentional Injuries, by Injury Type, 2012 - 2017					
	Poisoning	Motor Vehicle Accident	Drowning	Fall	Suffocation
AZ	203,244	149,348	19,998	19,917	15,554

Source: ADHS Bureau of Vital Records

Opioid Deaths, Arizona, 2008 - 2017										
	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Heroin Deaths	69	96	89	123	92	137	190	248	311	344
Rx/Synthetic Opioid Deaths	517	575	532	438	362	389	379	431	489	605
Total Opioid Deaths	586	671	621	561	454	526	569	679	800	949

Source: ADHS Bureau of Vital Records

Verified Fatal & Not Fatal Opioid Overdoses, by Age Among Males, 2018									
	0-14 Y	15-17 Y	18 - 24 Y	25-34 Y	35-44 Y	45-54 Y	55-64 Y	65-74 Y	75+ Y
Not Fatal Overdoses	1%	4%	20%	32%	17%	9%	10%	5%	3%
Fatal Overdoses	0%	1%	14%	23%	20%	18%	14%	4%	1%

Source: ADHS 5-day Opioid Surveillance System

Verified Fatal & Not Fatal Opioid Overdoses, by Age Among Females, 2018									
	0-14 Y	15-17 Y	18 - 24 Y	25-34 Y	35-44 Y	45-54 Y	55-64 Y	65-74 Y	75+ Y
Not Fatal Overdoses	0%	3%	13%	22%	13%	16%	17%	10%	5%
Fatal Overdoses	1%	2%	14%	20%	19%	17%	17%	8%	4%

Source: ADHS 5-day Opioid Surveillance System

Reported Pre-Existing Conditions for Verified Opioid Overdoses, 2018											
	Schizophrenia or schizoaffective	Cancer	PTSD	COPD	Diabetes	Bipolar disorder	Suicidal ideation	Depression	Anxiety	Chronic pain	History of substance abuse
Verified Fatal Overdoses	53	77	113	150	194	222	255	320	519	745	867

Source: ADHS 5-day Opioid Surveillance System

Drug Type Involved in Verified Opioid Overdoses, 2018								
	Tramadol	Hydrocodone	Morphine	Other Rx Opiate	Fentanyl	Benzodiazepine	Heroin	Oxycodone
Verified Fatal Overdoses	75	174	262	483	587	593	800	833

Source: ADHS 5-day
Opioid Surveillance
System

Arizona Fall-Related Injury Mortality Rate, by Race & Ethnicity, 2017					
	American Indian/ Alaska Native	Black/African American	White, Non- Hispanic	Hispanic/ Latino	Asian or Pacific Islander
AZ	17.1	6.4	12.9	10.1	7.8

Source: ADHS Bureau of Vital Records

Motor Vehicle Mortality Rate Among Arizona American Indians/Natives, 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	31.7	35.6	54.3	52.2	54.0

Source: ADHS Bureau of Vital Records

Percent of Arizona HS Students Who Reported Substance Use in the Last 30 Days, by Grade and Substance Type, 2018			
	Alcohol	Marijuana	Prescription Pain Relievers
8th Grade	11.5%	8.1%	3.2%
10th Grade	20.3%	17.0%	3.0%
12th Grade	30.8%	23.3%	2.8%

Source: YRBSS

Percent of Adults Who Reported Binge Drinking, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	13.4%	14.9%	14.2%	15.6%	15.2%
AZ Lower 95% CI	11.4%	13.8%	12.9%	14.3%	14.4%
AZ Higher 95% CI	15.4%	16.0%	15.5%	16.9%	16.1%
U.S.	16.8%	16.0%	16.3%	16.9%	17.4%

Source: BRFSS

Percent of Arizona Adults Who Reported Binge Drinking, by County, 2017															
	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Percent	5.7%	11.6%	16.8%	13.2%	8.4%	<50	<50	16.1%	11.4%	10.6%	14.2%	14.2%	23.7%	14.1%	17.0%
Lower 95% CI	3.1%	6.5%	10.2%	8.4%	17.0%			15.0%	8.1%	6.2%	12.2%	10.9%	8.7%	10.3%	12.0%
Higher 95% CI	8.3%	16.7%	23.4%	18.0%	15.1%			17.2%	14.7%	15.1%	16.3%	17.5%	38.7%	17.8%	21.8%

Source: BRFSS

Heart Disease Mortality Rate, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	143.0	129.9	141.3	142.5	141.9
U.S.	169.8	167.0	168.5	165.5	165.0

Source: ADHS Bureau of Vital Records

Arizona Heart Disease Mortality Rate, by County, 2017															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Rate	171.6	165.7	136.1	181.0	138.6	122.8	206.2	138.6	218.6	121.9	135.4	125.3	105.3	143.3	111.2

Source: ADHS Bureau of Vital Records

Diabetes Mortality Rate, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	23.6	23.0	25.7	24.5	23.8
U.S.	21.2	20.9	21.3	21.0	21.5

Source: ADHS Bureau of Vital Records

Arizona Diabetes Mortality Rate, by County, 2017															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Rate	55.4	26.8	20.5	31.6	60.2	37.5	22.0	22.8	20.2	36.6	26.6	22.4	25.9	16.5	25.9

Source: ADHS Bureau of Vital Records

Perent of Arizona Adults Who Reported Ever Having Diabetes, by Race/Ethnicity, 2017						
	White non-Hispanic	Black/African American	Hispanic/Latino	American Indian/Alaska Native	Asian/Pacific Islander	Other, Non-Hispanic
Percent	9.70%	11.20%	10.90%	21.10%	8.50%	9.90%
Lower 95% CI	9.00%	8.30%	9.60%	17.20%	5.10%	6.80%
Higher 95% CI	10.30%	14.10%	12.20%	24.90%	12.00%	13.10%

Source: BRFSS

Chronic Lower Respiratory Disease Mortality Rate, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	44.5	41.1	45.1	45.0	43.0
U.S.	39.4	40.5	43.2	40.6	40.9

Source: ADHS Bureau of Vital Records

Arizona Chronic Lower Respiratory Disease Mortality Rate, by County, 2017															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Rate	30.4	45.1	34.3	62.1	78.2	50.1	40.3	41.2	68.3	48.3	39.3	41.4	10.8	61.1	32.3

Source: ADHS Bureau of Vital Records

Cerebrovascular Disease Mortality Rate, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	28.2	26.2	31.1	30.7	30.7
U.S.	36.2	36.5	37.6	37.3	37.6

Source: ADHS Bureau of Vital Records

Arizona Cerebrovascular Disease Mortality Rate, by County, 2017															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Rate	38.6	32.0	31.4	27.5	42.9	24.4	16.4	30.5	29.3	41.3	32.5	21.2	33.4	34.3	29.6

Source: ADHS Bureau of Vital Records

Alzheimer's Disease Mortality Rate, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	33.3	30.9	37.3	37.3	35.2
U.S.	23.5	25.4	29.4	30.3	31.0

Source: ADHS Bureau of Vital Records

Arizona Alzheimer's Disease Mortality Rate, by County, 2017															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Rate	20.1	16.9	21.0	16.3	34.4	62.8	11.7	38.6	39.1	29.6	34.7	23.2	25.9	46.6	19.7

Source: ADHS Bureau of Vital Records

Suicide Mortality Rate, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	17.0	16.5	17.8	17.7	18.0
U.S.	12.6	13.0	13.3	13.5	14.0

Source: ADHS Bureau of Vital Records

Suicide Mortality Rate, by Mechanism, 2013 - 2017								
	Firearm	Suffocation/Hanging	Poisoning	Cut/Pierce	Other	Not Specified	Fall	Drowning
Percentage	58.3	21.9	14.6	1.3	1.3	1.2	0.9	0.5

Source: ADHS Bureau of Vital Records

Arizona Suicide Mortality Rate, by Age Group & Sex, 2017									
	10-14 Yrs	15-19 Yrs	20-24 Yrs	25-34 Yrs	35-44 Yrs	45-54 Yrs	55-64 Yrs	65-74 Yrs	75+ Yrs
Males	4.7	20.8	30.7	37.2	30.9	34.6	40.3	34	60.5
Females	2.2	5.2	8.6	12.4	11.4	10	14.6	11	5.9

Source: ADHS Bureau of Vital Records

Arizona Suicide Mortality Rate, by Race & Ethnicity, 2017					
	American Indian/ Alaska Native	Black/African American	White, Non- Hispanic	Hispanic/ Latino	Asian or Pacific Islander
AZ	26.2	10.5	22.1	8.5	9.3

Source: ADHS Bureau of Vital Records

Perent of Adults Who Reported Ever Being Told They Have Arthritis, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ Percent	24.0%	24.9%	23.6%	26.0%	24.3%
AZ Lower 95% CI	22.0%	23.9%	22.4%	24.8%	23.5%
AZ Higher 95% CI	25.9%	25.9%	24.8%	27.2%	25.1%
US Percent	25.3%	26.0%	25.3%	25.8%	24.9%

Source: BRFSS

Perent of Arizona Adults Who Reported Ever Being Told They Have Arthritis, by Age Group, 2017						
	18-24	25-34	35-44	45-54	55-64	65+
AZ Percent	3.1%	7.9%	12.7%	25.8%	37.7%	47.4%
AZ Lower 95% CI	1.8%	6.2%	10.8%	23.7%	35.6%	45.9%
AZ Higher 95% CI	4.3%	9.5%	14.5%	27.9%	39.8%	48.9%

Source: BRFSS

Perent of Adults Who Reported Ever Having Asthma, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ Percent	14.6%	14.3%	15.7%	14.6%	15.8%
AZ Lower 95% CI	12.9%	13.4%	14.5%	13.5%	15.0%
AZ Higher 95% CI	16.4%	15.3%	16.9%	15.7%	16.6%
US Percent	14.1%	13.8%	14.3%	14.0%	14.2%

Source: BRFSS

Perent of Arizona Adults Who Reported Ever Having Asthma, by County, 2017															
	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Percent	13.8%	12.8%	19.3%	12.7%	12.8%	12.8%	14.5%	15.8%	14.5%	18.1%	15.7%	17.5%	12.8%	15.9%	14.5%
Lower 95% CI	8.8%	8.5%	13.9%	8.6%	8.5%	8.5%	11.5%	14.8%	11.5%	13.2%	13.7%	14.1%	8.5%	12.4%	11.5%
Higher 95% CI	18.8%	17.1%	24.7%	16.9%	17.1%	17.1%	17.6%	16.9%	17.6%	23.0%	17.7%	20.9%	17.1%	19.4%	17.6%

Source: BRFSS

Perent of Arizona Adults Who Reported Ever Having Asthma, by Income, 2017						
	Less than \$15,000	\$15,000 to \$24,999	\$25,000 to \$34,999	\$35,000 to \$49,999	\$50,000 to \$74,999	\$75,000 +
Percent	19.1%	17.4%	15.5%	16.0%	15.5%	13.3%
Lower 95% CI	16.2%	15.2%	12.9%	13.9%	13.4%	11.9%
Higher 95% CI	22.0%	19.5%	18.0%	18.1%	17.6%	14.6%

Source: BRFSS

Perent of Arizona Adults Who Reported Ever Having Asthma, by Race/Ethnicity, 2017						
	White, Non-Hispanic	Black/African American, Non-Hispanic	Hispanic	American Indian/Alaska Native, Non-Hispanic	Asian, Non-Hispanic	Other, Non-Hispanic
Percent	16.5%	20.6%	13.8%	17.7%	8.4%	20.7%
Lower 95% CI	15.6%	16.1%	12.1%	13.8%	4.7%	16.1%
Higher 95% CI	17.4%	25.1%	15.5%	21.6%	12.1%	25.2%

Source: BRFSS

Prevalence of Household-Level Food Insecurity, Arizona & U.S., 2007 - 2017				
	2007-2009	2010-2012	2013-2015	2015-2017
AZ	14.5%	14.9%	14.9%	13.1%
U.S.	13.5%	14.7%	13.7%	12.3%

Source: USDA, Economic Research Service

Violent Crime Rate, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	429.0	417.0	410.0	470.0	508.0
U.S.	387.0	368.0	383.0	397.0	394.0

Source: USDOJ, FBI

Arizona Sexual Assault and Violence Related Injury Hospital Discharge Rates, by County, 2017															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Rate	*	11.7	4.8	17.0	16.2	*	*	13.9	15.3	19.9	36.1	13.9	16.0	8.0	6.1

Source: ADHS Hospital Discharge Data

Mean Travel Time to Work Among Arizona Adults, 2013 - 2017									
	Less than 10 min	10-14 min	15-19 min	20-24 min	25-29 min	30-34 min	35-44 min	45-59 min	60+ min
AZ	12.40%	13.40%	15.40%	15.40%	7.30%	14.80%	7.10%	7.90%	6.40%

Source: U.S. Census Bureau, American Community Survey 5-year period estimates

Mean Travel Time to Work Among Arizona Adults, 2013 - 2017															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Rate	26.7	20.5	18.4	18.7	20.9	17.8	12.9	25.8	20.4	21.6	24.5	31.0	23.5	23.2	19.6

Source: U.S. Census Bureau, American Community Survey 5-year period estimates

Occupational Fatality Rate, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	3.2	3.2	3.4	3.4	3.9
U.S.	3.8	3.8	3.7	3.7	4.3

Source: BLS, Census of Fatal Occupational Injuries & Bureau of Economic Analysis

Arizona HAI Progress Report, 2017

	Central Line-associated Blood Stream Infection	Catheter-associated Urinary Tract Infection	Methicillin-resistant Staphylococcus	Clostridium difficile Events	Surgical Site Infection after Colon Surgery	Surgical Site Infection after Abominal Hysterectomy
	10%	23%	-3%	-9%	-14%	10%

Source: CDC HAI Progress Report

Preventable Hospitalization Rate, Arizona & U.S., 2014-2018					
	2014	2015	2016	2017	2018
AZ	45.2	40.1	37	36.1	36.1
U.S.	59.3	53.8	49.9	49.4	49.4

Source: America's Health Rankings analysis of The Dartmouth Atlas of Health Care, United Health Foundation, AmericasHealthRankings.org, Accessed 2019

Arizona Health Insurance Marketplace Enrollment, 2014 - 2019						
	2014	2015	2016	2017	2018	2019
AZ	120,071	205,666	203,066	196,291	165,758	160,456

Source: Henry J. Kaiser Family Foundation, State Health Facts, 2014 - 2019

Percent of Arizona Adults Who Reported Being in Very Good or Excellent Health, by Race/Ethnicity, 2017						
	White, Non-Hispanic	Black/African American, Non-Hispanic	Hispanic	American Indian/Alaska Native, Non-Hispanic	Asian, Non-Hispanic	Other, Non-Hispanic
Percent	83.2%	78.6%	76.6%	71.9%	89.0%	76.7%
Lower 95% CI	82.4%	74.1%	74.5%	67.3%	84.7%	70.9%
Higher 95% CI	84.1%	83.1%	78.6%	76.5%	93.4%	82.4%

Source: BRFSS

Percent of Arizona Adults Who Reported Being in Very Good or Excellent Health, by Income, 2017						
	Less than \$15,000	\$15,000 to \$24,999	\$25,000 to \$34,999	\$35,000 to \$49,999	\$50,000+	
Percent	56.7%	72.1%	79.6%	85.0%	91.2%	
Lower 95% CI	52.9%	69.6%	76.7%	82.9%	90.3%	
Higher 95% CI	60.4%	74.5%	82.5%	86.9%	92.2%	

Source: BRFSS

Percent of Arizona Adults Who Reported Being in Very Good or Excellent Health, by Educational Attainment, 2017				
	Less than high school	High school/GED	Some college/Technical School	College/technical school
Percent	62.2%	79.3%	82.3%	90.9%
Lower 95% CI	58.7%	77.8%	81.0%	90.1%
Higher 95% CI	65.7%	80.8%	83.6%	91.8%

Source: BRFSS

Percent of Adults with Health Insurance, Arizona & U.S., 2013 - 2017					
	2013	2014	2015	2016	2017
AZ	83.2%	83.7%	85.0%	86.4%	87.8%
U.S.	85.1%	85.8%	87.0%	88.3%	89.5%

Source: U.S. Census Bureau, American Community Survey 5-year
period estimates

Mean Travel Time to Work Among Arizona Adults, 2013 - 2017															
County	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
Percent	76.4%	89.9%	83.6%	86.0%	88.7%	88.5%	87.8%	86.3%	86.0%	83.2%	87.7%	88.4%	84.5%	87.2%	82.0%

Source: U.S. Census Bureau, American Community Survey 5-year period estimates